



30 years' experience

Our buckles, deployment buckles, hinges and accessories



www.oeschswitzerland.com



Hinges without arcs



330.01 INOX
s/s 304 handpolished
Dimensions (mm): 30 x 6
Thickness: 2,4 mm
screws incl.



330.01 IP
s/s 304 / IP 2N handpolished
Dimensions (mm): 30 x 6
Thickness: 2,4 mm
screws incl.



330.02 INOX
s/s 304 handpolished
Dimensions (mm): 40 x 8
Thickness: 2,5 mm
screws incl.



330.02 IP
Edelstahl 304 poliert / PVD 2N
Dimensions (mm): 40 x 8
Thickness: 2,5 mm
screws incl.



311 INOX
s/s 304 handpolished
Dimensions (mm): 58 x 9,9
Thickness: 2,0 mm
Opening: more than 180°



312 INOX
s/s 304 handpolished
Dimensions (mm): 57 x 10
Thickness: 2,0 mm
Opening: more than 180°



328 INOX
s/s 304 handpolished
Dimensions (mm): 50 x 8
Thickness: 2,5 mm
Opening: more than 180°

Hinges without arcs are mostly used for smaller boxes.

Style 330 can only be opened up to an angle of 90°. Styles 311, 312 and 328 can be opened more than 180°.

Accessories



Screw 303 INOX
s/s 304
Dimensions (mm): 4 x 10
Head polished
For hinge 330



Screw 305 INOX
s/s 304
Dimensions (mm): 4,8 x 9,5
Head polished
For hinges 200 & 300



Screw 316 INOX
s/s 304
Dimensions (mm): 5,6 x 12,3
Head polished
For hinges 311, 312 & 340



Silencer 341
Material: PET, transparent
Fitting to hinge 340
Dimensions (mm):
54,7 x 54,7 x 0,5

We supply the appropriate screws as accessories for all hinges. All styles are made of 304 stainless steel, the screw head is polished. The hinges in IP coating always include the screws, they are supplied in the same colour.

As a special accessory for the hinge style 340 with arc we have a silencer that prevents metallic noise when opening / closing. During assembly, the silencer is placed under the hinge and screwed down at the same time.



Hinges with arc



200 INOX
s/s 304 handpolished
Dimensions (mm):
41 x 41 x 8
Thickness: 1,50 mm; incl. arc



200 IP
s/s 304 / IP 2N handpolished
Dimensions (mm):
41 x 41 x 8
Thickness: 1,50 mm
incl. arc and screws



300 INOX
s/s 304 handpolished
Dimensions (mm):
38 x 38 x 7,5
Thickness: 1,50 mm; incl. arc



300 IP
s/s 304 / IP 2N handpolished
Dimensions (mm):
38 x 38 x 7,5
Thickness: 1,50 mm
incl. arc and screws



340 INOX
s/s 304 handpolished
Dimensions (mm):
55 x 55 x 9,0
Thickness: 2,0 mm; incl. arc



340 IP
s/s 304 / IP 2N handpolished
Dimensions (mm):
55 x 55 x 9,0
Thickness: 2,0 mm
incl. arc and screws



310 INOX
s/s 304 handpolished
Dimensions (mm):
65 x 55 x 9
Thickness: 2,0 mm; incl. arc
Execution in IP on demand



327 INOX
s/s 304 handpolished
Dimensions (mm):
50 x 8
Thickness: 2,5 mm; incl. arc

Our hinges are the ideal complement to your luxury packaging, e.g. wooden boxes for watches or jewellery or also for humidors. They facilitate easy access to your valuables.

Hinges with arcs are fast installed, they are quickly opened or closed. In addition, the cover is fixated at slightly more than 90°.

Cylindrical hinges



P151
s/s 316F handpolished
Length (mm): 37,0
Diameter (mm): 5,0



P151 IP black
s/s 316F / IP black handpolished
Length (mm): 37,0
Diameter (mm): 5,0



337 INOX
s/s 316F handpolished
Length (mm): 35,0
Diameter (mm): 3,5



337 gilt
s/s 316F handpolished / gilt
Length (mm): 35,0
Diameter (mm): 3,5

Cylindrical hinges are designed for very small boxes. They find their place in a small spot and are quickly assembled. Both styles are made of polished 316F stainless steel, IP-coatings are also available on request.



Accessories

Lock, key and push button sets



Lok 385.01
Iron
Dimensions (mm):
65 x 10 x 26,5



Key 385.02 / 385.04
Alloy (385.02) or
s/s 316L polished
Fitting to locks
385.01 and 385.03



Key 385.02G / 385.04G
Gilt version of key
385.02 / 385.04



Vertical lock 385.03
Iron
Dimensions (mm):
65 x 10 x 26,5



Pusher 317.01
s/s 316L
Dimensions (mm):
12 x 6



Ring 317.02
s/s 316L
Dimensions (mm):
10 x 5,2



Hook 317.03
s/s 316L
Dimensions (mm):
12,4 x 6



Hook with spring 317.06
Hook 317.03
with spring,
Resistance: 1,0 kg



Hook with spring 317.07
Hook 317.03
with spring,
Resistance: 1,5 kg



Spring 317.04



Assembling part 317.05



Special execution
*Can be realized according
to your specifications*

*Accessories for the assembling
of the push button*

If you want to be on the safe side: use our lock with key. Everything you care about is so well taken care of and safe.

Our lock plates are the ideal accessories and they embellish your products.

The push button set gives you the security that the cover of the box is always well closed. It can also be opened in no time at all. Whether you use one or two sets of pushers, it is the ideal addition to your luxury packaging.



Accessories

Cover plates



P152 INOX
s/s 304 handpolished
Dimensions (mm):
65 x 10 x 1,2



P153 INOX
s/s 304 handpolished
Dimensions (mm):
65 x 10 x 1,2



P154 INOX
s/s 304 handpolished
Dimensions (mm):
50 x 10 x 1,2



P152 gilt
s/s 304 gilt (2N) handpolished
Dimensions (mm):
65 x 10 x 1,2



P153 gilt
s/s 304 gilt (2N) handpolished
Dimensions (mm):
65 x 10 x 1,2



P154 gilt
s/s 304 gilt (2N) handpolished
Dimensions (mm):
50 x 10 x 1,2



P281 INOX
s/s 304 handpolished
Dimensions (mm):
40 x 8 x 1,2



P281 gilt
s/s 304 gilt (2N) handpolished
Dimensions (mm):
40 x 8 x 1,2



Engraved plate
According to your specifications

The lock plates P152, P154 and P281 cover the lock or are the counterpart for the push button set.

The lock plate P153 is the counterpart to the lock and allows the safe closing of the box. All lock plates are available from stock in stainless steel 304 polished and 2N gold-plated stainless steel. Other coatings or colours are also available on request.

Accessories



Small parts

Every detail counts – with our locks, cover plates and push button sets (see following page) you have the necessary accessories for your watch boxes, jewellery boxes or humidors.

Below you will find details of additional products such as our escutcheons (P201, 319), screws for cover plates or alternatives that complement our standard sets for locks, keys and cover plates, for example the door latch 318 (alternative to cover plate P153), the hooks with spring and other products.



Hook 318.01.30 INOX
s/s 304 handpolished



Hook 318.01.35 gilt
s/s 304 handpolished / gilt



Round escutcheon 319
s/s 304 handpolished
Diameter: 15 mm
Thickness: 4,0 mm



Round escutcheon 319 gilt
s/s 304 handpolished / gilt
Diameter: 15 mm
Thickness: 4,0 mm



Square escutcheon P201
s/s 304 handpolished
Dimensions (mm):
15 x 15 x 4,5



Square escutcheon P201 gilt
s/s 304 handpolished / gilt
Dimensions (mm):
15 x 15 x 4,5



Screw 303 INOX
s/s 304
Head polished
Dimensions (mm):
4 x 10
Fitting to box plates



Contact

Our buckles, deployment buckles, hinges and accessories – the ideal complement to your products

For over 30 years we have been supplying our buckles, deployment buckles and (interchangeable) spring bars to watch factories and bracelet manufacturers. For some years, we have also been selling hinges and accessories for luxury packaging.

Our customers are well-known companies from Switzerland, France, Germany, Italy and other countries. We work with competent and modern equipped partners. In close cooperation with our partners and customers, we carry out the polishing, engraving, coating and finishing of the products.

Our advantageous location

Magden is located about 20 kilometres from Basel, in the immediate vicinity of Germany, France and the international watch fair BASELWORLD.



Our strengths – your advantages

- ✓ Individual support and advice
- ✓ Great flexibility thanks to a small organization
- ✓ Short decision paths – fast response times
- ✓ Short delivery times due to stock of standard products
- ✓ Fast service

Do you have questions?
We help you! Write to us or call us



OESCH GMBH T +41 (61) 841 03 33
Adlerstrasse 25 F +41 (61) 841 03 30
CH-4312 Magden M info@oeschswitzerland.com